

# Shenzhen Pushdon Technology Co., Ltd

Charge Wireless • Live Boundless

# CONTENTS

---

1 COMPANY PROFILE

2 PRODUCT INTRODUCTION

# COMPANY PROFILE

---

Shenzhen Pushdon Technology Co., Ltd (“Duzzona”) is dedicated to the research, design, manufacturing and sales of wireless chargers, wall chargers and charging cables. Duzzona has professional R&D teams and high-standard quality control system, supported by factory with size more than 5000 square meters and about 120 employees, which has also been certified by ISO9001 and BSCI.

With “Technology, Fashion, Simplicity” as core philosophy, Duzzona keeps investing in research and design innovation since foundation. Whilst improving product quality, Duzzona insists on launching unique products and has developed plenty of patents and production technologies to providing customers best OEM/ODM services.

In the future, Duzzona will insist on R&D investment and strive for developing more and more creative and excellent products for customers and thus helping more people achieving better life and enjoying the benefits of new technology.




# PATENT CERTIFICATE

<p>证书号: 202310053号</p> <p><b>外观设计专利证书</b></p> <p>外观设计名称: 无线充电器 (三合一)</p> <p>设计人: 林奕成</p> <p>专利号: ZL 2023 3 067281.9</p> <p>专利申请日: 2023年10月23日</p> <p>专利权人: 深圳博士威科技有限公司</p> <p>地址: 518000 广东省深圳市龙岗区平湖街道力胜社区新厦大道21号中微信源产业园40504</p> <p>授权公告日: 2024年04月12日 授权公告号: CN 3067281.9</p> <p>局长 申长雨 2024年04月12日</p>	<p>证书号: 202310054号</p> <p><b>外观设计专利证书</b></p> <p>外观设计名称: 无线充电器 (三合一)</p> <p>设计人: 林奕成</p> <p>专利号: ZL 2023 3 063991.0</p> <p>专利申请日: 2023年09月27日</p> <p>专利权人: 深圳博士威科技有限公司</p> <p>地址: 518000 广东省深圳市龙岗区平湖街道力胜社区新厦大道21号中微信源产业园40504</p> <p>授权公告日: 2024年05月03日 授权公告号: CN 3063991.0</p> <p>局长 申长雨 2024年05月03日</p>	<p>证书号: 202310055号</p> <p><b>外观设计专利证书</b></p> <p>外观设计名称: 一体式手机支架 (手机壳)</p> <p>设计人: 林奕成</p> <p>专利号: ZL 2023 3 053096.1</p> <p>专利申请日: 2023年06月16日</p> <p>专利权人: 深圳博士威科技有限公司</p> <p>地址: 518000 广东省深圳市龙岗区吉华街道甘坑社区甘李二路11号中微信源产业园40504</p> <p>授权公告日: 2024年03月15日 授权公告号: CN 3067280.5</p> <p>局长 申长雨 2024年03月15日</p>	<p>证书号: 202310056号</p> <p><b>外观设计专利证书</b></p> <p>外观设计名称: 手机支架 (手机壳)</p> <p>设计人: 林奕成</p> <p>专利号: ZL 2023 3 073491.5</p> <p>专利申请日: 2023年11月03日</p> <p>专利权人: 深圳博士威科技有限公司</p> <p>地址: 518000 广东省深圳市龙岗区吉华街道甘坑社区甘李二路11号中微信源产业园40504</p> <p>授权公告日: 2023年02月21日 授权公告号: CN 3076394.5</p> <p>局长 申长雨 2023年02月21日</p>	<p>证书号: 202310041号</p> <p><b>实用新型专利证书</b></p> <p>实用新型名称: 一种快速拆卸式CPU保护罩</p> <p>发明人: 林奕成</p> <p>专利号: ZL 2022 2 208957.0</p> <p>专利申请日: 2022年09月27日</p> <p>专利权人: 深圳博士威科技有限公司</p> <p>地址: 518000 广东省深圳市龙岗区吉华街道甘坑社区甘李二路11号中微信源产业园40504</p> <p>授权公告日: 2023年05月23日 授权公告号: CN 2190660.5</p> <p>局长 申长雨 2023年05月23日</p>
<p>证书号: 202310132号</p> <p><b>外观设计专利证书</b></p> <p>外观设计名称: 手机壳</p> <p>设计人: 林奕成</p> <p>专利号: ZL 2023 3 016740.1</p> <p>专利申请日: 2023年03月14日</p> <p>专利权人: 深圳博士威科技有限公司</p> <p>地址: 518000 广东省深圳市龙岗区吉华街道甘坑社区甘李二路11号中微信源产业园40504</p> <p>授权公告日: 2023年06月14日 授权公告号: CN 3060566.6</p> <p>局长 申长雨 2023年06月14日</p>	<p>证书号: 202210242号</p> <p><b>外观设计专利证书</b></p> <p>外观设计名称: 保护壳 (手机保护壳)</p> <p>设计人: 林奕成</p> <p>专利号: ZL 2022 3 012037.9</p> <p>专利申请日: 2022年03月14日</p> <p>专利权人: 深圳博士威科技有限公司</p> <p>地址: 518000 广东省深圳市龙岗区吉华街道甘坑社区甘李二路11号中微信源产业园40504</p> <p>授权公告日: 2022年07月24日 授权公告号: CN 3073599.6</p> <p>局长 申长雨 2022年07月24日</p>	<p>证书号: 202310020号</p> <p><b>外观设计专利证书</b></p> <p>外观设计名称: 一体式手机支架 (手机壳)</p> <p>设计人: 林奕成</p> <p>专利号: ZL 2023 3 0180421.6</p> <p>专利申请日: 2023年03月03日</p> <p>专利权人: 深圳博士威科技有限公司</p> <p>地址: 518000 广东省深圳市龙岗区吉华街道甘坑社区甘李二路11号中微信源产业园40504</p> <p>授权公告日: 2023年07月14日 授权公告号: CN 3062347.5</p> <p>局长 申长雨 2023年07月14日</p>	<p>证书号: 202310020号</p> <p><b>外观设计专利证书</b></p> <p>外观设计名称: 一体式手机支架 (手机壳)</p> <p>设计人: 林奕成</p> <p>专利号: ZL 2023 3 0180421.6</p> <p>专利申请日: 2023年03月03日</p> <p>专利权人: 深圳博士威科技有限公司</p> <p>地址: 518000 广东省深圳市龙岗区吉华街道甘坑社区甘李二路11号中微信源产业园40504</p> <p>授权公告日: 2023年07月14日 授权公告号: CN 3062347.5</p> <p>局长 申长雨 2023年07月14日</p>	<p>证书号: 202310038号</p> <p><b>实用新型专利证书</b></p> <p>实用新型名称: 一种多功能电子产品支架</p> <p>发明人: 林奕成</p> <p>专利号: ZL 2022 2 204901.8</p> <p>专利申请日: 2022年11月16日</p> <p>专利权人: 深圳博士威科技有限公司</p> <p>地址: 518000 广东省深圳市龙岗区吉华街道甘坑社区甘李二路11号中微信源产业园40504</p> <p>授权公告日: 2023年06月27日 授权公告号: CN 2192620.0</p> <p>局长 申长雨 2023年06月27日</p>



# FACTORY PHOTOS





# Wireless Charger

# W22 3in1 Wireless Charger



Name: 3in1 Magnetic Wireless Charging Stand

Model: W22

Product size: 135\*66\*21mm

Net weight: 196g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: grey

Material: Aluminum Alloy+ABS+Acrylic

Charging conversion rate:  $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



# W21 3in1 Wireless Charger

Name: Qi2 3in1 Magnetic Wireless Charging Stand

Model: W21

Product size: 67.6\*107.2\*117mm

Net weight: 165g

Input: 5.0V/3A, 9.0V/3A

Transmission distance: 3-6 mm

Color: Black

Material: Aluminum Alloy+Tempered Glass

Charging conversion rate:  $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 3W (max)

Mobile output: 5W/7.5W/15W

Charging interface: Type-C

Execution standard: Qi2

Certification: CE ROHS UKCA FCC Qi2





# W20 4in1 Wireless Charger

Name: 4in1 Magnetic Wireless Charging House

Model: W20

Product size: 120\*90\*68 mm

Net weight: 220g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: White

Material: ABS+Painting

Charging conversion rate:  $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



# W19 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W19

Product size: 140\*70\*20mm

Net weight: 170g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: White

Material: ABS+Aluminum Alloy+Fabric

Charging conversion rate:  $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC





# W18 Wireless Charger

Name: Magnetic Wireless Charging  
Model: W18  
Product size:  $\varnothing$  58.5\*7.5mm  
Net weight: 59.6g  
Input: 5.0V/2A, 9.0V/2.22A, 12V/1.67A  
Transmission distance: 3-6 mm  
Color: White  
Material: Aluminum Alloy+Silicone  
Charging conversion rate:  $\geq$  75%  
Earphone output: 5W (max)  
Mobile output: 5W/7.5W/15W  
Charging interface: Type-C  
Execution standard: Qi2  
Certification: CE ROHS UKCA FCC Qi2



# W17 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W17

Product size: 121\*70\*130mm

Net weight: 150g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: Black

Material: ABS+Tempered Glass

Charging conversion rate:  $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



# W16 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W16

Product size: 175\*125\*136mm

Net weight: 290g

Input: 5.0V/2A, 9.0V/2A, 12V/1.5A

Transmission distance: 3-6 mm

Color: White

Material: ABS+Zinc Alloy

Charging conversion rate:  $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



# W15 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W15

Product size: 67.6\*107.2\*117mm

Net weight: 175g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: Black

Material: Aluminum Alloy+Tempered Glass

Charging conversion rate:  $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



# W13 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W13

Product size:  $\varnothing$  60\*8.5mm

Net weight: 46g

Input: 5.0V/2A, 9.0V/2.2A

Transmission distance: 3-6 mm

Color: Black

Material: Aluminum Alloy+Tempered Glass

Charging conversion rate:  $\geq$  75%

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



# W11 Wireless Charger

---

Name: Wireless Charging

Model: W11

Product size:  $\varnothing$  100\*8.0mm

Net weight: 44g

Input: 5.0V/2A, 9.0V/2.2A, 12V/1.5A

Transmission distance: 3-6 mm

Color: Black

Material: ABS

Charging conversion rate:  $\geq$  75%

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC

---





# W10-A 3in1 Wireless Charger

---

Name: Wireless Charging Stand

Model: W10-A

Product size: 152\*73\*28mm

Net weight: 175g

Input: 5.0V/2A, 9.0V/2A, 12V/1.5A

Transmission distance: 3-6 mm

Color: White

Material: ABS

Charging conversion rate:  $\geq 75\%$

Watch output: 3W (max)

Earphone output: 3W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC

---



# W10-S 3in1 Wireless Charger

Name: Wireless Charging Stand

Model: W10-S

Product size: 152\*73\*28mm

Net weight: 175g

Input: 5.0V/2A, 9.0V/2A, 12V/1.5A

Transmission distance: 3-6 mm

Color: White

Material: ABS

Charging conversion rate:  $\geq 75\%$

Watch output: 3W (max)

Earphone output: 3W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



# W7 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W7

Product size: 60\*60\*7.5mm

Net weight: 50g

Input: 5.0V/2A, 9.0V/2.2A

Transmission distance: 3-6 mm

Color: White

Material: ABS

Charging conversion rate:  $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



# W2 Wireless Charger

---

Name: 3in1 Magnetic Wireless Charging Stand

Model: W19

Product size: 69.5\*137.4\*17.2mm

Net weight: 148g

Input: 5.0V/2A, 9.0V/2.22A, 12V/1.67A

Transmission distance: 3-6 mm

Color: Black

Material: ABS+Aluminum Alloy

Charging conversion rate:  $\geq 75\%$

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC

---



# W1 Wireless Charger

---

Name: 3in1 Magnetic Wireless Charging Stand

Model: W19

Product size:  $\varnothing$  60\*8.6mm

Net weight: 62g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: White

Material: ABS+Zinc Alloy

Charging conversion rate:  $\geq$  75%

Earphone output: 5W (max)


Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC

---





# V5 Pro Magnetic Wireless Car Charger

Name: Qi2 Magnetic wireless car charging mount

Model: V5 Pro

Product size: 218\*72\*65mm

Net weight: 155g

Input: 5.0V/2A, 9.0V/2.22A, 12V/1.67A

Transmission distance: 3-6 mm

Color: Black

LED light: green/blue

Material: PC+ABS

Charging conversion rate:  $\geq 75\%$

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi2

Certification: CE ROHS UKCA FCC Qi2





# V5 Magnetic Wireless Car Charger

Name: Qi2 Magnetic wireless car charging mount

Model: V5

Product size: Ø62.6\*83.6mm

Net weight: 77.5g

Input: 5.0V/2A, 9.0V/2.22A, 12V/1.67A

Transmission distance: 3-6 mm

Color: Black

LED light: green/blue

Material: PC+ABS

Charging conversion rate:  $\geq 75\%$

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi2

Certification: CE ROHS UKCA FCC Qi2





# V4 Magnetic Wireless Car Charger

Name: Qi2 Magnetic wireless car charging mount  
Model: V4  
Product size: 215\*72\*58.5mm  
Net weight: 192g  
Input: 5.0V/2A, 9.0V/2.22A, 12V/1.67A  
Transmission distance: 3-6 mm  
Color: Black  
Material: Aluminum Alloy+TPU+PC  
Charging conversion rate:  $\geq 75\%$   
Mobile output: 5W/7.5W/15W  
Charging interface: Type-C  
Execution standard: Qi2  
Certification: CE ROHS UKCA FCC Qi2





# V3 Magnetic Wireless Car Charger

Name: Magnetic wireless car charging mount

Model: V3

Product size: 215\*72\*58mm

Net weight: 145g

Input: 5.0V/2A, 9.0V/2A, 12V/1.5A

Transmission distance: 3-6 mm

Color: Black

Material: Aluminum Alloy+TPU+PC


Charging conversion rate:  $\geq 75\%$

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



# V2 Magnetic Wireless Car Charger

Name: Magnetic wireless car charging mount

Model: V2

Product size: Ø59\*76mm

Net weight: 60g

Input: 5.0V/2A, 9.0V/2A, 12V/1.5A

Transmission distance: 3-6 mm

Color: Black

Material: Aluminum Alloy+Tempered Glass

Charging conversion rate:  $\geq 75\%$


Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC





# Wall Charger

# T9-01 GaN Charger

Name: PD65W GaN Charger

Model: T9-01

Size: 80\*43\*28millimeters

Net weight: 130g

Color: White

Material: Fireproof PC

Certification: CE ROHS

Input: AC100-240V~50/60Hz 1.6A Max

Output: 2C1A

C1/C2 5V 3.0A 9V 3.0A 12V 3.0A 15V 3.0A 20V 3.25A

PPS: 3.3-11V 4.05A 3.3-21V 3.0A (63W max)

USB-A: 5V 3.0A 9V 3.0A 12V 3.0A 20V 3.0A (60W max)

Type-C1+USB-A: 45+18W

Type-C1+Type-C2: 45+20W

Type-C1+Type-C2+USB-A: 45W+18W Max



# T9-02 GaN Charger

Name: PD65W GaN Charger

Model: T9-02

Size: 83\*55\*48.5mm

Net weight: 130g

Color: White

Material: Fireproof PC

Certification: UKCA ROHS

Input: AC100-240V~50/60Hz 1.6A Max

Output: 2C1A

C1/C2 5V 3.0A 9V 3.0A 12V 3.0A 15V 3.0A 20V 3.25A

PPS: 3.3-11V 4.05A 3.3-21V 3.0A (63W max)

USB-A: 5V 3.0A 9V 3.0A 12V 3.0A 20V 3.0A (60W max)

Type-C1+USB-A: 45+18W

Type-C1+Type-C2: 45+20W

Type-C1+Type-C2+USB-A: 45W+18W Max



# T7 GaN Charger

Name: PD30W GaN Charger

Model: T7

Size: 86\*41\*27mm

Net weight: 63g

Color: White

Material: Fireproof PC

Certification: CE ROHS

Charging interface: 1C1A

Input: 100-240V~50/60Hz 1.0A

Output: C: 5V 3A 9V 3A 12V 2.5A 15V2A 20V1.5A

USB: 5V 3A 9V 2A 12V 1.25A



# T6 Charger

---

Name: PD25W charger

Model: T6

Size: 80\*43\*28mm

Net weight: 55g

Color: White

Material: Fireproof PC

Certification: CE ROHS

Charging interface: 1C

Input: 100-240V~50/60Hz 0.8A

Output: C: 5V 3A 9V 2.77A 12V 2.08A

---



# T3-02 Charger

---

Name: PD20W charger

Model: T3-02

Size: 70\*48\*42mm

Net weight: 62g

Color: White

Material: Fireproof PC

Certification: UKCA ROHS

Charging interface: 1C

Input: 100-240V~50/60Hz 0.6A

Output: C: 5V 3A 9V 2.22A 12V 1.67A

---





# T3-01 Charger

---

Name: PD20W charger

Model: T3-01

Size: 82\*43\*27mm

Net weight: 54.6g

Color: White

Material: Fireproof PC

Certification: CE ROHS


Charging interface: 1C

Input: 100-240V~50/60Hz 0.6A

Output: C: 5V 3A 9V 2.22A 12V 1.67A

---





# Charging Cable

# A9 Data Cable

Name: PD100W CtoC data cable

Model: A9

Length: 1 m

Net weight: 37g

Color: Black

Material: Aluminum alloy shell+Nylon braided wire+TPE

Wire OD: 4.9mm

Output: 20V 5A

Data cable transmission: USB3.2 Gen2x1 (10Gbps)

Certification: CE ROHS FCC UKCA



**USB 3.2**



# A8 Data Cable

---

Name: USB to C data cable

Model: A8

Length: 1 m / 2 m

Net weight: 24g

Color: Gray

Material: Aluminum alloy shell+Nylon braided wire+TPE

Wire OD: 3.8mm

Output: 5V 3A

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA

---



# A7 Data Cable

---

Name: USB to L data cable

Model: A7

Length: 1 m / 2 m

Net weight: 24g

Color: Gray

Material: Aluminum alloy shell+Nylon braided wire+TPE


Wire OD: 3.8mm

Output: 5V 2.4A

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA

---



# A6 Data Cable

---

Name: PD65W CtoC data cable

Model: A6

Length: 1 m

Net weight: 26g

Color: Transparent terminal+black braided wire

Material: high-density Nylon braided wire+PVC+transparent shell

Wire OD: 3.8mm

Output: 20V 3.25A

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA

---



# A5 Data Cable

---

Name: PD20W CtoL data cable

Model: A5

Length: 1 m

Net weight: 26g

Color: Transparent terminal+black braided wire

Material: high-density Nylon braided wire+PVC+transparent shell

Wire OD: 3.8mm

Output: 9V 2.22A (3A Max)

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA

---



# A4 3 in 1 Data Cable

---

Name: 3 in 1 Data Cable (100W, C to C+L+Mic)

Model: A4

Length: 1.3 m

Net weight: 68g

Color: Black


Material: Transparent terminal + TPE + aluminum alloy shell

Wire OD: 3.8mm

Output: C 5A, L 3A, Mic 2A (5A Max)

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA





# A3 3 in 1 Data Cable

Name: 3 in 1 data cable (USB to C+L+Mic)

Model: A3

Length: 1.3 m

Net weight: 57g

Color: Gray

Material: Aluminum alloy shell+Nylon braided wire+TPE

Wire OD: 4.2mm

Output: C 5V3A, L 5V 2.4A, Mic 5V 2A (3.5A Max)

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA



# A2 Data Cable

Name: PD65W CtoC data cable

Model: A2

Length: 1 m / 2 m / 3 m

Net weight: 23g

Color: Gray

Material: Aluminum alloy shell+Nylon braided wire+TPE

Wire OD: 3.8mm

Output: 20V 3.25A

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA



# A1 Data Cable

---

Name: PD20W CtoC data cable

Model: A1

Length: 1 m / 2 m / 3 m

Net weight: 23g

Color: Gray

Material: Aluminum alloy shell+Nylon braided wire+TPE

Wire OD: 3.8mm

Output: 9V 2.22A (3A Max)

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA

---



# THANK YOU

[www.duzzona.com](http://www.duzzona.com)